

Bibliography file furtw, sorted by first author

Version of Wed 2001 Mar 21 16:53

References

Adams65a

W. W. Adams. Some computations in diophantine approximations. *J. reine angew. Math.*, 220:163–173, 1965. MR 32 #91.

Adams67a

W. W. Adams. Simultaneous asymptotic diophantine approximation. *Mathematika*, 14:173–180, 1967.

Adams69b

W. W. Adams. Simultaneous asymptotic diophantine approximations to a basis of a real cubic number field. *J. Number Theory*, 1:179–194, 1969.

Adams69a

W. W. Adams. Simultaneous diophantine approximations and cubic irrationals. *Pacific J. Math.*, 30:1–14, 1969.

Adams71a

W. W. Adams. Simultaneous asymptotic diophantine approximations to a basis of a real number field. *Nagoya Math J.*, 42:79–87, 1971.

Adams80a

W. W. Adams. The best two-dimensional diophantine approximation constant for cubic irrationals. *Pacific J. Math.*, 91:29–30, 1980.

arnold98

V. I. Arnold. Higher dimensional continued fractions. *Regular and chaotic dynamics*, 3:10–17, 1998. MR 2000h:11012; web.uni.udm.ru/~rcd/rcd/index.html.

arnoux93

P. Arnoux and A. Nogueira. Mesures de gauss pour des algorithmes de fractions continues multidimensionnelles. *Annales scientifiques de l'école normale supérieure*, 26:645–664, 1993. MR 95h:11076.

baladi96

V. Baladi and A. Nogueira. Lyapunov exponents for non-classical multidimensional continued fraction algorithms. *Nonlinearity*, 9:1529–1546, 1996.

baldwin92a

P. R. Baldwin. A multidimensional continued-fraction and some of its properties. *J. Stat. Phys.*, 66:1463–1505, 1992.

baldwin92b

P. R. Baldwin. A convergence exponent for multidimensional continued-fraction algorithms. *J. Stat. Phys.*, 66:1507–1526, 1992.

bauer95a

Max Bauer. Multidimensional continued fractions and the topological entropy of pseudo-anosov maps. Technical Report 95-09, Institut de Recherche Mathématique de Rennes, 1995.

bernik99

V. I. Bernik and M. M. Dodson. *Metric Diophantine approximation on manifolds*. CUP, 1999.

bollt93

E. M. Bollt and J. D. Meiss. Breakup of invariant tori for the 4-dimensional semistandard map. *Physica D*, 66:282–297, 1993.

brentjes81

A. J. Brentjes. *Multi-dimensional Continued Fraction Algorithms*, volume 145 of *Mathematical Centre Tracts*. Mathematisch Centrum Amsterdam, 1981. MR 83b:10038.

brentjes82

A. J. Brentjes. Multidimensional continued fraction algorithms. In *Computational methods in number theory, Part II*, volume 155 of *Mathematical Centre Tracts*, pages 287–319. Mathematisch Centrum Amsterdam, 1982. MR 85f:11096.

brentjes

Arne J. Brentjes. A two-dimensional continued fraction algorithm with an application in cubic number fields. *J. Reine Angew. Math.*, 326:18–44, 1981. MR 83b:10037.

briggs01a

K. M. Briggs. On the Furtwängler algorithm for simultaneous rational approximation. *Exp. Math. (to be submitted)*, ??:?, 2001.

briggs00a

K. M. Briggs and G. Álvarez. Scaling in a map of the two-torus. *Experimental Mathematics*, 9:301–307, 2000.

Briggs95

Keith Martin Briggs. A torus map based on Jacobi's *sn*. *Computers and Graphics*, 19:451–453, 1995.

broise96a

A. Broise. Fractions continuées multidimensionnelles et lois stables. *Bulletin de la Société mathématique de France*, 124:97–139, 1996.

bruno89

A. D. Bruno. *Local methods in nonlinear differential equations: Part I: The local method of nonlinear analysis of differential equations; Part II: The sets of analyticity of a normalizing transformation*. Soviet Mathematics. Springer, 1989.

bruno99

A. D. Bruno. A new generalization of the continued fraction (Russian). Technical Report 82, Keldysh Institute of the RAS, Moscow, 1999.

bryuno94

A. D. Bryuno and V. I. Parusnikov. Klein polyhedra for two cubic Davenport forms. *Mathematical notes*, 56(3-4):9–27, 1994. Keldysh Institute of the RAS, preprint 48.

bryuno97

A. D. Bryuno and V. I. Parusnikov. Comparison of various generalizations of continued fractions. *Mathematical notes*, 61:278–286, 1997. Keldysh Institute of the RAS, preprint 52.

burger99a

Edward B. Burger. On real quadratic number fields and simultaneous Diophantine approximation. *Monatshefte für Mathematik*, 128:201–209, 1999.

burr92

Stefan A. Burr, editor. *The unreasonable effectiveness of number theory*, volume 46 of *Proceedings of symposia in applied mathematics*. American Mathematical Society, 1992.

Cassels55a

J. W. S. Cassels. Simultaneous diophantine approximation. *J. Lond. Math. Soc.*, 30:119–121, 1955.

chan98a

C. Chandre, M. Govin, and H.R. Jauslin. Kolmogorov-Arnold-Moser renormalization-group approach to the breakup of invariant tori in Hamiltonian systems. *Phys. Rev. E*, 57:1536–1543, 1998.

chan98b

C. Chandre, M. Govin, H.R. Jauslin, and H. Koch. Universality for the breakup of invariant tori in Hamiltonian flows. *Phys. Rev. E*, 57:6612–6617, 1998.

chan98d

C. Chandre and H.R. Jauslin. Critical attractor and universality in a renormalization-group scheme for three frequency Hamiltonian systems. *Phys. Rev. Lett.*, 81:5125–5128, 1998.

chan98c

C. Chandre and H.R. Jauslin. A version of Thirring’s approach to the Kolmogorov-Arnold-Moser theorem for quadratic Hamiltonians with degenerate twist. *J. Math. Phys.*, 39:5856–5865, 1998.

chan99c

C. Chandre and H.R. Jauslin. KAM-renormalization-group for Hamiltonian systems with two degrees of freedom. In S. Miracle-Solé, J. Ruiz, and V. Zagrebnov, editors, *Mathematical Results in Statistical Mechanics*. World Scientific, Singapore, 1999.

chan00a

C. Chandre and H.R. Jauslin. Strange attractor for the renormalization flow for invariant tori of Hamiltonian systems with two generic frequencies. *Phys. Rev. E*, 61:1320 – 1328, 2000.

chan99a

C. Chandre, H.R. Jauslin, and G. Benfatto. An approximate KAM-renormalization-group scheme for Hamiltonian systems. *J. Stat. Phys.*, 94:241–251, 1999.

chan99b

C. Chandre, H.R. Jauslin, G. Benfatto, and A. Celletti. Approximate renormalization-group transformation for Hamiltonian systems with three degrees of freedom. *Phys. Rev. E*, 60:5412 – 5421, 1999.

chan99d

C. Chandre, J. Laskar, G. Benfatto, and H.R. Jauslin. Determination of the threshold of the breakup of invariant tori in three frequency Hamiltonian systems. in preparation, 2000.

chan00b

C. Chandre and R. S. MacKay. Approximate renormalization for the break-up of invariant tori with three frequencies. preprint SPhT t00/003.

clarkson96a

I. V. L. Clarkson, S. D. Howard, and I. M. Y. Mareels. Estimating the period of a pulse train from a set of sparse, noisy measurements. In *Proceedings of the international symposium on signal processing applications and its applications (ISSPA 96)*, volume 2, pages 885–888, 1996.

clarkson93

I. V. L. Clarkson, J. E. Perkins, and I. M. Y. Mareels. On the novel application of number theoretic methods to radar detection. In *Proceedings of the international conference on signal processing applications and technology (ICSPAT 93)*, 1993.

clarkson95b

I. V. L. Clarkson, J. E. Perkins, and I. M. Y. Mareels. An algorithm for best approximation of a line by lattice points in three dimensions. Technical report, 1995. presented at 19th *Journées Arithmétique*, Barcelona.

clarkson96b

I. V. L. Clarkson, J. E. Perkins, and I. M. Y. Mareels. Number/theoretic [sic] solutions to intercept time problems. *IEEE Trans. Information Theory*, 42:959–971, 1996.

clarkson97

I. Vaughan L. Clarkson. *Approximation of Linear Forms by Lattice Points, with applications to signal processing*. PhD thesis, Australian National University, 1997.

clarkson96

I. Vaughan L. Clarkson and Iven M. Y. Mareels. Finding best simultaneous diophantine approximations using sequences of minimal sets of lattice points. Technical report, Submitted to *Math. Comp.*, 1996. rejected? Formerly at wwwcrasys.anu.edu.au/Projects/pulseTrain/Papers/CM96.ps.gz.

clarkson95a

Vaughan Clarkson, Jane Perkins, and Iven Mareels. An algorithm for best approximation of a line by lattice points in three dimensions. Technical report, 1995. 3rd Conference on Computational Algebra and Number Theory (CANT 95), Conference abstracts and other information. Formerly online at wwwcrasys.anu.edu.au/Projects/pulseTrain/Papers/CPM95.ps.gz.

Cohen93

H. Cohen. *A course in computational algebraic number theory*, volume 138 of *Graduate texts in mathematics*. Springer-Verlag, 1993.

crespo98

Mélanie Crespo. Exposants de Lyapounov pour algorithmes de fractions continues: une extension aux dimensions supérieures. Master's thesis, Université de Genève, Faculté des Sciences, Section de Mathématiques, 1998.

Cusick71a

T. W. Cusick. Diophantine approximations for ternary linear forms. *Math. Comp.*, 25:163–180, 1971. MR 45 #5083.

Cusick72b

T. W. Cusick. Diophantine approximations for ternary linear forms. II. *Math. Comp.*, 26:977–993, 1972. MR 48 #244.

Cusick72a

T. W. Cusick. Formulas for some diophantine approximation constants. *Math. Ann.*, 197:182–188, 1972.

Cusick72c

T. W. Cusick. Simultaneous diophantine approximation of real numbers. *Acta Arithmetica*, 22:1–9, 1972.

Cusick73a

T. W. Cusick. Diophantine approximation of linear forms over an algebraic number field. *Mathematika*, 20:16–23, 1973. MR 49 #4942.

Cusick74a

T. W. Cusick. Formulas for some diophantine approximation constants II. *Acta Arithmetica*, 26:117–128, 1974.

Cusick74b

T. W. Cusick. The two-dimensional diophantine approximation constant. *Monatshefte für Mathematik*, 78:297–304, 1974.

Cusick77a

T. W. Cusick. The Szekeres multidimensional continued fraction algorithm. *Math. Comp.*, 31:280–317, 1977. MR 55 #2775.

Cusick80b

T. W. Cusick. Best diophantine approximations for ternary linear forms. *Journal für die reine und angewandte Mathematik*, 315:40–52, 1980.

Cusick80a

T. W. Cusick. Estimates for diophantine approximation constants. *J. Number Theory*, 12:543–556, 1980.

Cusick81a

T. W. Cusick. Best diophantine approximations for ternary linear forms, II. In *Analytic Number Theory Proceedings, Philadelphia 1980*, volume 899 of *Lecture Notes in Mathematics*, pages 231–238. Springer-Verlag, 1981.

Cusick83a

T. W. Cusick. The two-dimensional diophantine approximation constant. II. *Pacific J. Math.*, 105:53–67, 1983.

krass88

T. W. Cusick and S. Krass. Formulas for some diophantine approximation constants. *J. Austral. Math. Soc.*, A44:311–323, 1988.

Davenport52a

H. Davenport. Simultaneous diophantine approximation. *Proc. London Math. Soc.*, 2:403–416, 1952.

Davenport54a

H. Davenport. Simultaneous diophantine approximation. In *Proc. International Congress Math., Amsterdam 1954*, volume III, pages 9–12, 1954.

Davenport68a

H. Davenport. A theorem on linear forms. *Acta Arithmetica*, 14:209–223, 1968.

Davenport46a

H. Davenport and K. Mahler. Simultaneous diophantine approximation. *Duke Math. J.*, 13:105–111, 1946.

Davenport67a

H. Davenport and W. M. Schmidt. Approximation to real numbers by quadratic irrationals. *Acta Arithmetica*, 13:169–176, 1967.

dienst98

Thilo Dienst. On a problem of Schoenberg and Wills in Diophantine approximation. *Period. Math. Hung.*, 36:105–118, 1998.

dodson89

M. M. Dodson and J. A. G. Vickers, editors. *Number theory and dynamical systems*, volume 134 of *London mathematical society lecture note series*. CUP, Cambridge, 1989.

ecalle98

J. Ecalle and B. Vallet. Correction and linearization of resonant vector fields and diffeomorphisms. *Mathematische Zeitschrift*, 229:249–318, 1998.

ferreira00

Afonso Ferreira, Jérôme Galtier, and Stéphane Perennes. Approximation of a straight line in a bounded lattice. Technical report, INRIA Sophia Antipolis, 2000. ALGOTEL2000.

Fornaess96

John Erik Fornæss. *Dynamics in several complex variables*. Number 87 in Regional conference series in mathematics. American Mathematical Society, 1996.

frank87

András Frank and Éva Tardos. An application of simultaneous diophantine approximation in combinatorial optimization. *Combinatorica*, 7:49–66, 1987.

furtw26

Ph. Furtwängler. Über die simultane Approximation von Irrationalzahlen (Erste Mitteilung). *Math. Annalen*, 96:169–175, 1926.

[furtw28](#)

Ph. Furtwängler. Über die simultane Approximation von Irrationalzahlen (Zweite Mitteilung). *Math. Annalen*, 99:71–83, 1928.

[girgensohn96](#)

Roland Girgensohn. Constructing singular functions via Farey fractions. *Journal of Mathematical Analysis and Applications*, 203:127–141, 1996.

[govi97](#)

M. Govin, C. Chandre, and H.R. Jauslin. Kolmogorov-arnold-moser-renormalization-group analysis of stability in Hamiltonian flows. *Phys. Rev. Lett.*, 79(20):3881–3884, 1997.

[grabiner92](#)

David J. Grabiner. Farey nets and multidimensional continued fractions. *Monatshefte für Mathematik*, 114:35–60, 1992.

[hardcastle00a](#)

D. M. Hardcastle and K. Khanin. Almost everywhere strong convergence of multidimensional continued fraction algorithms. Technical Report HPL-BRIMS-00-12, BRIMS, Bristol, UK, 2000.

[hardcastle00b](#)

D. M. Hardcastle and K. Khanin. Continued fractions and the d -dimensional Gauss transform. Technical Report HPL-BRIMS-00-15, BRIMS, Bristol, UK, 2000.

[hastad89](#)

J. Hastad, B. Just, J. C. Lagarias, and C. P. Schnorr. Algorithms for finding integer relations among real numbers. *SIAM J. Comp.*, 18:859–881, 1989.

[henk97](#)

Martin Henk and Robert Weismantel. Test sets of the knapsack problem and simultaneous diophantine approximation. In *Algorithms ESA 97, 5th Annual Symposium*, volume 1284 of *Lecture Notes in Computer Science*, pages 271–283. Springer, 1997.

[herman87](#)

M. R. Herman. Recent results and some open questions on Siegel’s linearization theorem of germs of complex analytic diffeomorphisms of \mathbb{C}^n near a fixed point. In M. Mebkhout and R. S en eor, editors, *Proc. VIII Int. Congress Math. Phys., Marseille, July 16-25 1986*, pages 138–184. World Scientific, c1987.

[hobby](#)

John. D. Hobby. A natural lattice basis problem with applications. ?, ??:, ? Bell Labs preprint.

[ito93](#)

S. Ito, M. Keane, and M. Ohtsuki. Almost everywhere exponential convergence of the modified Jacobi-Perron algorithm. *Ergodic Theory and Dynamical Systems*, 13:319–334, 1993.

[Kim85a](#)

Seung-hwan Kim and Stellan Ostlund. Renormalization of mappings of the two-torus. *Phys. Rev. Lett.*, 55:1165–1168, 1985.

Kim86a

Seung-hwan Kim and Stellan Ostlund. Simultaneous rational approximations in the study of dynamical systems. *Phys. Rev. A*, 34:3426–3434, 1986.

kinney60

J. R. Kinney. Note on a singular function of Minkowski. *Proc. Am. Math. Soc.*, 11:788, 1960.

koksma36

J. F. Koksma. *Diophantische Approximationen*. Chelsea, New York, reprint, 19??

kontsevich99

M. L. Kontsevich and Yu. M. Suhov. Statistics of Klein polyhedra and multidimensional continued fractions. In *Pseudoperiodic topology*, volume 197 of *Am. Math. Soc. Transl.*, pages 9–27. 1999. Dedicated to V. I. Arnold on his 60th anniversary.

korkina94

E. Korkina. The periodicity of multidimensional continued fractions. *C. R. Acad. Sci.*, 319:777–780, 1994. MR 95j:11064.

korkina95

E. I. Korkina. Two-dimensional continued fractions. The simplest examples. *Proc. Steklov Institute of Mathematics*, 209:124–144, 1995. MR 97k:11104.

krass85a

S. Krass. Estimates for n -dimensional diophantine approximation constants for $n \geq 4$. *J. Num. Th.*, 20:172–176, 1985.

krass85b

S. Krass. The n -dimensional diophantine approximation constants. *Bulletin of the Australian Mathematical Society*, 32:313–316, 1985.

kratz99

Werner Kratz. On optimal constants for best two-dimensional simultaneous diophantine approximations. *Monatshefte für Mathematik*, 128:99–110, 1999.

lachaud93

Gilles Lachaud. Polyèdre d’Arnol’d et voile d’un cône simplicial: analogues du théorème de Lagrange. *C. R. Acad. Sci. Paris*, 317:711–716, 1993.

lachaud98a

Gilles Lachaud. Klein polygons and geometric diagrams. In *Contemporary mathematics*, volume 210, pages 365–372. 1998. MR 99a:11086.

lachaud98b

Gilles Lachaud. Sails and Klein polyhedra. In *Contemporary mathematics*, volume 210, pages 373–385. 1998. MR 98k:11094.

Lagarias-na1

J. C. Lagarias. Best simultaneous diophantine approximations III. Approximations to a basis of a non-totally real cubic field. Never appeared.

Lagarias-na2

J. C. Lagarias. Best simultaneous diophantine approximations IV. Transcendental growth rates for approximations to a basis of a non-totally real cubic field. Never appeared.

Lagarias80b

J. C. Lagarias. Best simultaneous diophantine approximations I. Growth rates of best approximation denominators. *Trans. Am. Math. Soc.*, 272:545–554, 1980.

Lagarias80a

J. C. Lagarias. Some new results in simultaneous diophantine approximation. *Queen's Papers in Pure and Applied Math.*, 54:453–474, 1980.

Lagarias82a

J. C. Lagarias. Best simultaneous diophantine approximations II. Behavior of consecutive best approximations. *Pacific J. Math.*, 102:61–88, 1982.

lagarias84a

J. C. Lagarias. Knapsack public key cryptosystems and diophantine approximation (extended abstract). In D. Chaum, editor, *Advances in Cryptology: Proceedings of Crypto 83*, pages 3–23. Plenum Press, 1984.

Lagarias92

J. C. Lagarias. Number theory and dynamical systems. In Stefan A. Burr, editor, *The unreasonable effectiveness of number theory*, volume 46 of *Proceedings of symposia in applied mathematics*, pages 35–72. American Mathematical Society, 1992.

Lagarias93

J. C. Lagarias. The quality of diophantine approximations found by the Jacobi-Perron algorithm and related algorithms. *Monatshefte für Mathematik*, 115:299–328, 1993.

Lagarias94a

J. C. Lagarias. Geodesic multidimensional continued fractions. *Proc. London Math. Soc.*, 69:464–488, 1994.

Lagarias95a

J. C. Lagarias and Andrew D. Pollington. The continuous diophantine approximation mapping of Szekeres. *J. Austral. Math. Soc.*, A59:148–172, 1995.

langtry96

T. N. Langtry. An application of Diophantine approximation to the construction of rank-1 lattice quadrature rules. *Mathematics of computation*, 65:1635–1662, 1996.

marmi90a

S. Marmi. Critical functions for complex analytic maps. *J. Phys. A*, 23:3447–3474, 1990.

marmi97a

S. Marmi, P. Moussa, and J.-C. Yoccoz. The Brjuno functions and their regularity properties. *Commun. Math. Phys.*, 186:265–293, 1997.

marmi00

Stefano Marmi. *An introduction to small divisors problems*. Istituti editoriali e poligrafici internazionali, Pisa, Roma, 2000. ISBN 88-8147-227-9.

minkowski1911b

H. Minkowski. Zur geometrie der Zahlen. In David Hilbert, editor, *Gesammelte Abhandlungen*, volume 2, pages 43–52. 1911. reprinted Chelsea Pub. Co. 1967.

minkowski1911a

H. Minkowski. Zur theorie der Kettenbrüche. In David Hilbert, editor, *Gesammelte Abhandlungen*, volume 1, pages 278–292. 1911. Reprinted Chelsea Pub. Co. 1967.

moshchevitin99

N. G. Moshchevitin. Continued fractions, multidimensional Diophantine approximations and applications. *J. de Théorie des Nombres de Bordeaux*, 11:425–438, 1999. www.emis.de/journals/JTNB.

moussa97a

P. Moussa, A. Cassa, and S. Marmi. Continued fractions and Brjuno functions. *J. Comp. and Appl. Math.*, 105:403–415, 1997.

nogueira95

A. Nogueira. The three-dimensional Poincaré continued fraction algorithm. *Israel J. Math.*, 90:373–401, 1995.

nowak81

W. G. Nowak. A note on simultaneous Diophantine approximation. *Manuscripta Math.*, 36:33–46, 1981. MR 83a:10062.

nowak92

W. G. Nowak. A remark concerning the s-dimensional simultaneous Diophantine approximation constants. *Grazer Math. Ber.*, 318:105–110, 1992.

nowak99b

Werner Georg Nowak. The critical determinant of the double paraboloid and Diophantine approximation on R^3 and R^4 . *Mathematica Pannonica*, 10:111–122, 1999.

nowak99a

Werner Georg Nowak. Diophantine approximation on R^s : on a method of Mordell and Armitage. Technical report, Universität für Bodenkultur Wien, 1999.

nowaknd1

Werner Georg Nowak. The critical determinant of the double paraboloid and Diophantine approximation on R^3 . Technical report, Universität für Bodenkultur Wien, no date.

parusnikov95a

V. I. Parusnikov. Klein’s polyhedra for the third extremal ternary cubic form (Russian). Technical Report 137, Keldysh Institute of the RAS, Moscow, 1995.

parusnikov97a

V. I. Parusnikov. Klein’s polyhedra with big faces (Russian). Technical Report 93, Keldysh Institute of the RAS, Moscow, 1997.

parusnikov98b

V. I. Parusnikov. Klein polyhedra for complete decomposable forms. In K. Győry, A. Pethő, and V. Sós, editors, *Number Theory. Diophantine, computational and algebraic aspects, proceedings of the international conference held in Eger, Hungary 1996*, Berlin, New York, 1998. Walter de Gruyter.

parusnikov98a

V. I. Parusnikov. Klein's polyhedra for the fifth extremal cubic form (Russian). Technical Report 69, Keldysh Institute of the RAS, Moscow, 1998.

parusnikov99a

V. I. Parusnikov. Klein's polyhedra for the seventh extremal cubic form (Russian). Technical Report 79, Keldysh Institute of the RAS, Moscow, 1999.

roessner96a

C. Rössner and C. P. Schnorr. An optimal, stable continued fraction algorithm for arbitrary dimension. *Electronic Colloquium on computational complexity*, TR96-020:1–14, 1996.

roessner96b

C. Rössner and J.-P. Seifert. Approximating good simultaneous diophantine approximations is almost NP-hard. In *Mathematical Foundations of Computer Science, Proc. 1996 Cracow conference*, volume 1113 of *Lecture Notes in Comp. Sci.*, pages 494–505. Springer-Verlag, 1996. MR 98g:11143.

schmidt96

W. W. Schmidt. *Diophantine Approximation*, volume 785 of *Lecture Notes in Mathematics*. Springer-Verlag, first edition, 1996. Second printing.

schnorr93

C. P. Schnorr. Factoring integers and computing discrete logarithms via diophantine approximation. In *Advances in Computational Complexity. AMS DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, volume 13, pages 171–182. 1993. www.mi.informatik.uni-frankfurt.de/research/papers.html.

schoenhage84

Arnold Schönhage. Factorization of univariate integer polynomials by diophantine approximation and an improved basis reduction algorithm. In *Automata, Languages and Programming, 11th Colloquium: ICALP 84 Antwerp, Belgium*, volume 172 of *Springer Lect. Notes Comp. Sci.*, pages 436–447. 1984.

schratzberger98

B. R. Schratzberger. The exponent of convergence for Brun's algorithm in two dimensions. *Sitzungsber. Abt. II*, 207:229–238, 1998.

schweiger95

F. Schweiger. *Ergodic theory of fibred systems and metric number theory*. Clarendon Press, Oxford, 1995.

shoup00

Victor Shoup. *NTL* <http://www.shoup.net/ntl/>. 2000.

Szekeres70

G. Szekeres. Multidimensional continued fractions. *Annales Universitatis Scientiarum Budapestinenses de Rolando Eötvös Nominatate, sectio mathematica*, 8:113–140, 1970. MR 47 #1753.

Szekeres84a

G. Szekeres. The N-dimensional approximation constant. *Bull. Austral. Math. Soc.*, 29:119–125, 1984.

Szekeres85a

G. Szekeres. Computer examination of the 2-dimensional simultaneous approximation constant. *Ars Combinatoria*, 19A:237–243, 1985.

Szekeres86a

G. Szekeres. Search for the three dimensional approximation constant. In J. H. Loxton and A. J. van der Poorten, editors, *Diophantine analysis: proceedings of the Number Theory Section of the 1985 Australian Mathematical Society Convention*, volume 109 of *London Mathematical Society lecture note series*, pages 139–146, 1986.

viader98

Pelagro Viader and Jaume Paradis. A new light on Minkowski's $\psi(x)$ function. *Journal of Number Theory*, 73:212–227, 1998.

yoccoz95a

J.-C. Yoccoz. *Petits diviseurs en dimension 1*, volume 231 of *Astérisque*. 1995.

Zehnder77

Eduard Zehnder. A simple proof of a generalization of a theorem by C. L. Siegel. In Jacob Palis and Manfredo do Carmo, editors, *Geometry and Topology, proceedings of the III Latin American School of Mathematics, Rio de Janeiro 1976*, volume 597 of *Lecture Notes in Mathematics*, pages 855–866. Springer-Verlag, Berlin, 1977.